

# Kiehl-RapiDés

## Fast-acting, liquid disinfectant cleaner

- ▲ Ready-to-use disinfectant cleaner
- ▲ Residue-free disinfection and cleaning
- ▲ Short drying time
- ▲ Once dry, the surfaces can be immediately reused
- ▲ No need to rinse with water
- ▲ EN-certified and VAH/IHO-listed cleaner and disinfectant for surface disinfection
- ▲ Free from aldehydes, fragrances and dyes
- ▲ Effective against salmonella, listeria, EHEC and MRSA
- ▲ Also suitable for use at 4 °C for the disinfection of refrigerators and refrigerated counters
- ▲ Effective against SARS-CoV-2
- ▲ The product has a clearance certificate for use in food areas
- ▲ Listed in the FiBL (German Research Institute of Organic Agriculture) List of Products for Organic Processing 2013



### Area of application


For the disinfection and simultaneous cleaning of alcohol-resistant surfaces. Do not use on acrylic glass, surfaces sensitive to alcohol or paint.

### Application

Please test on a small inconspicuous spot before first application. Remove heavy, oily, greasy and protein-based stains in advance. Screw on a sprayer (aerosol-free) or spray nozzle depending on the area of application.

### Disinfection and cleaning:

Fully cover surfaces, devices and objects with the undiluted product and keep moist during the reaction time. Leave to dry or wait for the product to take effect and then wipe clean with a dry disposable towel. Consumption: 7.0–50.0 ml/m<sup>2</sup>.



### Note

Kiehl accepts no liability or responsibility for damage caused as a result of incorrect use or application of the product. For professional use and private consumers. Use biocides safely. Always read the label and product information before use. PT 02, PT 04

### Ingredients

Water-soluble solvents.  
pH value (concentrate): approx. 7

### Active substances in 100 g:

50.0 g Ethanol (CAS: 64-17-5).

### Classification

Classification (in concentrate): GHS02, Warning. H226 Flammable liquid and vapour. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P403+P233 Store in a well-ventilated place. Keep container tightly closed. Contains: Ethyl Alcohol (INCI)

Art. No.	Packaging unit (PU)	Numbers of PU per pallet
j350447	Carton of 6 x 750 ml pear shaped bottles	64
j3504k47	Carton of 6 x 750 ml pear shaped bottles with sprayer	64
j350405	Carton of 2 x 5 L canisters	56

# Kiehl-RapiDés

## Fast-acting, liquid disinfectant cleaner

### Tests and listings

#### Recommended dosage for surface disinfection in the healthcare sector

Test method	Spectrum of activity	Organic load	Dosage		Contact time	Test microorganisms
VAH-certified application recommendation for surface disinfection without mechanical action	bactericidal / yeasticidal	high	Undiluted		5 min	Staphylococcus aureus incl. MRSA, Enterococcus hirae, Escherichia coli, Pseudomonas aeruginosa, Candida albicans, Modified vaccinia virus Ankara (MVA)
EN 16777 Quantitative surface test	virucidal against enveloped viruses					

#### Recommended dosage for surface disinfection in industrial and institutional areas and food industry

Test method	Spectrum of activity	Organic load	Dosage		Contact time	Test microorganisms
EN 13697 Surface disinfection without mechanical action	bactericidal / yeasticidal (at 20 °C and 4 °C)	high	Undiluted		2 min	Staphylococcus aureus incl. MRSA, Enterococcus hirae, Escherichia coli, Pseudomonas aeruginosa, Candida albicans, Modified vaccinia virus Ankara (MVA)
EN 16777 Quantitative surface test	virucidal against enveloped viruses					

### Further tests

Test method	Spectrum of activity	Organic load	Dosage		Contact time	Test microorganisms
<b>Industrial and institutional areas, food industry</b>						
EN 1276 Immersion method Quantitative suspension test	bactericidal (at 20 °C and 4 °C)	high	Undiluted		1 min	Staphylococcus aureus incl. MRSA, Enterococcus hirae, Escherichia coli, Pseudomonas aeruginosa, Listeria monocytogenes, Salmonella typhimurium
EN 1650 Immersion method Quantitative suspension test	yeasticidal	high	Undiluted		1 min	Candida albicans
EN 13697 Surface disinfection without mechanical action	bactericidal (at 20 °C and 4 °C)	high	Undiluted		1 min	Staphylococcus aureus incl. MRSA, Enterococcus hirae, Escherichia coli, Pseudomonas aeruginosa, Listeria monocytogenes, Salmonella typhimurium

See also [www.desinfektionsmittelliste.de](http://www.desinfektionsmittelliste.de)

# Kiehl-RapiDés

## Fast-acting, liquid disinfectant cleaner

Test method	Spectrum of activity	Organic load	Dosage	Contact time	Test microorganisms
<b>Virucidal activity</b>					
EN 14476 Quantitative suspension test	virucidal against enveloped viruses	high	Undiluted	5 min	Modified vaccinia virus Ankara (MVA)
EN 16777 Quantitative surface test	virucidal against enveloped viruses	high	Undiluted	2 min	Modified vaccinia virus Ankara (MVA)
DVV/RKI Quantitative suspension test	virucidal against enveloped viruses	with	Undiluted	30 s	BVDV (surrogate for HCV), Vaccinivirus
DVV/RKI		without	Undiluted	5 min	Murine Norovirus (MNV)
		with	Undiluted	15 min	

See also [www.desinfektionsmittelliste.de](http://www.desinfektionsmittelliste.de)