

Simplicity
Since 1922®



2024
**LAWN TRACTORS
& ZERO TURNS**





A CENTURY OF STRIPES

Simplicity's 100-year history has been filled with innovation, perseverance, and premium quality products.

The company began by producing boring machines and took flight as the door to garden equipment opened.

Whether a garden tractor or zero turn mower, the love for Simplicity mowers has been passed on through generations. While a tribute is paid to the past, a promising future of Simplicity awaits.



CONTENTS

The Dealer Experience	04
The Simplicity® Difference	05
Regent™ Lawn Tractors	06
Broadmoor™ Lawn Tractor	10
NEW! Baron™ Lawn Tractors with collector	12
NEW! Duke™ Lawn Tractors with collector	14
Courier™ Zero Turns	16
Tractor Specifications	22
Tractor Accessories	24
Zero Turn Specifications	26
Zero Turn Accessories	27

THE DEALER EXPERIENCE



MAKING THE RIGHT DECISION.

Not sure what type of mower you need? Your Simplicity® dealer can help. Need someone to deliver your tractor or zero turn? Your Simplicity dealer will deliver it to your home. Need a little training on how to use your new mower? Your Simplicity dealer can show you what you need to know. Most importantly, by purchasing a Simplicity through your local dealer, you will not only be getting a premium mowing experience, but your own trusted mowing advisor.

- Expert advice
- Product selection help
- Test drives
- Trustworthy service technicians
- Parts availability
- Product pick-up and delivery
- Seasonal maintenance
- Accepts Trade-Ins*
- Attachment expertise



*Participating dealers may vary.

THE SIMPLICITY® DIFFERENCE

Simplicity® Tractors and Zero Turn mowers are built to last with durable components - all-steel hoods and seat decks, long-life engines, transmissions and serviceable arbor and shaft assemblies. Designed with the operator in mind, Simplicity Mowers offer ergonomic, easy-to-use controls and innovative features to make your mowing experience even more enjoyable.



LAWN STRIPING

Our Free Floating™ mower deck is the pinnacle of performance which all others attempt to achieve. Attached by the pivoting front axle, the mowing deck follows even the slightest contours in your lawn, resulting in a scalp-free velvety cut. The full-width striping roller lays the grass down in the direction the mower is traveling to create striping patterns. Available on Broadmoor™ lawn tractor.



SUPERIOR TRACTION WITH ACT™

Automatic Controlled Traction™ will supply extra power to both rear tyres when one tyre starts to slip. The ACT™ feature helps you avoid getting stuck and keeps you moving forward when performing jobs in your garden. Available on Broadmoor™ lawn tractor.



CENTRECUT™ MOWER DECK

The CentreCut™ mower deck offers options to change the mower deck configuration depending on grass circumstances and personal preferences. Available on Regent™ SLT175, Regent™ SLT275, Courier™ SZT105, Courier™ SZT175 and Courier™ SZT275.

CENTRECUT™ CONVERTIBLE MOWING TECHNOLOGY



HYDROSTATIC TRANSMISSION

All Simplicity lawn tractors feature a pedal-operated hydrostatic transmission system that allows you to keep both hands on the steering wheel while adjusting your speed and direction with the two foot pedals.



SUSPENSION SYSTEM

Taking your mowing comfort to the next level, Simplicity® owners can enjoy a smoother ride with suspension while still achieving a premium cut**.



This exclusive tractor technology utilises ride dampening shocks to reduce the impact of rough terrain felt by the operator. Available on Courier™ SZT175, Courier™ SZT275 and Courier™ SZT350.

SUSPENSION COMFORT SYSTEM™

The Broadmoor™ Lawn Tractor offers a complete comfort package - the Suspension Comfort System™ - comprised of suspension, a high-speed transmission and a comfortable mesh seat.



**Results of suspension depend on lawn conditions.

REGENT™

LAWN TRACTORS



SLT110

Our Regent™ Lawn Tractor range delivers excellent all round cutting performance with the highest level of user comfort and signature Simplicity® styling.

These Regent™ lawn tractors are powered by reliable Briggs & Stratton® engines and feature integrated bumpers and a stylish dashboard panel. Rugged mower decks and durable cast-iron front axles ensure long life and performance.



FRAME HUNG MOWER DECK
With 4 anti-scalp wheels and a washout port for easy cleaning.



STEEL BUMPER & LED LIGHTS
The steel bumper adds extra durability to the lawn tractor while the powerful LED headlights light your path.



DURABLE FRONT AXLE
Rugged, pivoting cast iron front axle for long lifetime.



STEERING WHEEL
With colour-coded controls on the dashboard.

DESIGNED TO **PERFORM.**
MADE TO LAST.

QUICK SPECIFICATIONS

REGENT™ SLT110		REGENT™ SLT210SE	
Power			
Engine Model	Briggs & Stratton 7220 EXi V-Twin	Briggs & Stratton 7220 EXi V-Twin	
Cylinders	2	2	
Transmission			
Type	Tuff-Torq® K46 Hydrostatic	Tuff-Torq® K46 Hydrostatic	
Mower			
Cutting Width	107 cm	117 cm	
Mower Deck Type	Stamped Steel	Stamped Steel	
Seat	Mid-back seat	Mid-back, premium seat	



KEY FEATURES

- Frame Hung mower deck with 4 anti-scalp wheels
- Hydrostatic transmission
- Cast iron front axle
- Tight turning radius of 36 cm
- LED headlights
- Electric blade engagement
- Colour-coded controls
- Manual height of cut
- Integrated steel bumper
- Cruise control
- Mower deck washout port

For accessories see page 24.



BRIGGS & STRATTON® ENGINE

The Briggs & Stratton EXi engines provide consistent starting and guarantees durable performance.

REGENT™

LAWN TRACTORS



SLT275

Our convertible CentreCut™ mowing technology offers total flexibility without stress of choice when buying your next mower. The Regent™ SLT175 and SLT275 tractors will be delivered by your dealer with either a side or rear discharge configuration kit already fitted. Should you need a different cutting configuration in the future, then you will only need a new kit instead of buying a whole new mower deck or even a new tractor.

CENTRECUT™

CONVERTIBLE MOWING TECHNOLOGY



SLT275 with rear discharge kit fitted.



With rear discharge kit fitted



With side discharge kit fitted

CENTRECUT™ MOWER DECK

The CentreCut™ equipped lawn tractors come in a pre-configured side or rear discharge version. With an optional kit you can easily convert to a different mowing configuration if needed.

With the side discharge kit fitted you will have the highest mowing capacity possible. The rear discharge kit comes with a half height mulching baffle and Eliminator® blades and provides a perfect balance between mowing capacity and mulching performance. If you mount the optional mulching kit, you will have the best mulching performance.



MASTER THE CONTOURS OF YOUR LAWN.

QUICK SPECIFICATIONS

REGENT™ SLT175		REGENT™ SLT275	
Power			
Engine Model	Briggs & Stratton 7220 EXi V-Twin	Briggs & Stratton 8240 PXi V-Twin	
Cylinders	2	2	
Transmission			
Type	TuffTorq® K46 Hydrostatic	TuffTorq® K46 Hydrostatic	
Mower			
Cutting Width	107 cm	122 cm	
Mower Deck Type	CentreCut™ Fabricated Steel	CentreCut™ Fabricated Steel	
Seat	Mid-back, premium seat	Mid-back, premium seat	



BRIGGS & STRATTON® ENGINE

Designed to deliver world-class endurance and power, the PXi Series™ engine comes fully featured. Enhanced power, easy starting, smooth and quiet operation, and professional results are just a few of them.

KEY FEATURES

- 107 or 122 cm fabricated steel CentreCut™ mower deck with 4 anti-scalp wheels
- Available in side or rear discharge configuration
- Hydrostatic transmission
- Cast iron front axle
- Tight turning radius of 36 cm
- Mid-back premium seat
- Electric blade engagement
- Manual height of cut
- Cruise control
- Clock, hour and maintenance meter
- Mower deck washout port

For accessories see page 24.

BROADMOOR™

PREMIUM LAWN TRACTOR WITH SUSPENSION

RUGGED
DURABILITY.
EXCEPTIONAL
PERFORMANCE.



The Broadmoor™ lawn tractor represents the perfect combination of high-performance and user comfort. With the unique Free Floating™ fabricated steel mower deck, a new rear suspension system and a breathable ergonomic mesh seat, mowing the lawn will never feel like a chore again.

WITH ELECTRIC POWER STEERING



HIGH SPEED TRANSMISSION
The Tuff Torq® high speed transmission offers a hydrostatic drive for an automotive-like feel and allows you to operate the machine at higher speeds.



CONTROL PANEL
The panel includes push button starting, fuel gauge and maintenance reminders providing a premium experience.



ACT™
With Automatic Controlled Traction™ (ACT), drive power is continuously supplied to both rear tyres maintaining superior traction and lessening turf damage.



FABRICATED MOWER DECK
The 122 cm rugged fabricated mower deck with reinforced top, side skirts, corners and a steel front edge ensures durability and a quality cut for years to come.

QUICK SPECIFICATIONS

BROADMOOR™ SYT410

Power

Engine Model	Briggs & Stratton 8270 PXi V-Twin
Cylinders	2

Transmission

Type	Tuff-Torq® K62 High Speed Hydrostatic with ACT™
------	---

Mower

Cutting Width	122 cm
Mower Deck Type	Fabricated Steel, Free Floating™, Full-width striping roller
Suspension	SCS™ Rear Suspension with Mesh Seat



BRIGGS & STRATTON® ENGINE

The Briggs & Stratton 8270 PXi engine features an oil filter and pressure lubrication.



KEY FEATURES

- Free Floating™ mower deck with full-width striping roller
- Automatic Controlled Traction™
- Durable welded steel frame
- Electric power steering
- Cast-iron pivoting front axle
- Turning radius of 59 cm
- Quick Hitch™ mower deck removal system
- Electric height-of-cut adjustment
- LED headlights
- Cruise control
- Ergonomic mesh seat

WITH REAR SUSPENSION



The exclusive rear suspension reduces the impact felt at faster speeds.

BARON™

LAWN TRACTORS WITH COLLECTOR

COMPACT SIZE.
PREMIUM
COMFORT.

NEW
2024

SLC92

Our 2024 collecting tractor line up has received a massive upgrade.

The smallest, the Baron™ SLC92, features a 92 cm cutting width and a total width of only 95 cm which makes it the ideal collecting tractor for gardens with narrow passages and gates. The larger 102 cm SLC102 boosts productivity even more, up to 8.200 m² per hour.

All tractors are powered by high performance Briggs & Stratton® engines.

Made in  Europe



HIGH COMFORT SEAT

The adjustable, mid-back seat provides premium ride comfort and stability.



STYLISH CONTROL PANEL

The dashboard includes an hour meter, RMO switch, parking brake and throttle lever.



HEIGHT-OF-CUT

The manual height-of-cut allows for easy adjustment between 6 possible positions ranging from 30 to 90 mm.



INTEGRATED TOW HITCH

A convenient tow hitch is included on the back plate of the mower.



SLC102

QUICK SPECIFICATIONS

BARON™ SLC92		BARON™ SLC102	
Power			
Engine Model	Briggs & Stratton 7160 EXi V-Twin	Briggs & Stratton 7220 EXi V-Twin	
Cylinders	2	2	
Transmission			
Type	Tuff-Torq® K46 Hydrostatic	Tuff-Torq® K46 Hydrostatic	
Mower			
Cutting Width	92 cm	102 cm	
Mower Deck Type	Stamped Steel	Stamped Steel	
Seat	Premium mid-back seat	Premium mid-back seat	
Collection Bag	300 litres	300 litres	

KEY FEATURES

- Frame hung steel mower deck
- 4 anti-scalp wheels (SLC102)
- Hydrostatic transmission
- Large 300 litre collection bag
- Cast iron front axle
- 8 litre fuel tank
- Electric blade engagement
- Manual deck lift
- LED headlights with daylight mode
- Integrated steel bumper
- 15" x 6" front tyres
- 18" x 8,5" rear tyres
- Wash port
- 2-Year limited warranty



BRIGGS & STRATTON® ENGINE
The Briggs & Stratton EXi engine provides consistent starting and guarantees durable performance.

DUKE™

LAWN TRACTORS WITH COLLECTOR

PREMIUM
PERFORMANCE
FOR YOUR LAWN.



**NEW
2024**

SYC102

The new Duke™ collecting lawn tractor combines all the latest design, innovation and comfort features to bring the next level of outstanding performance. This collecting lawn tractor is powerful, easy to operate, intelligent and comfortable to use.


Made in  Europe



DIFFERENTIAL LOCK
Provides better traction in slippery conditions (SYC122).



STYLISH CONTROL PANEL
The deluxe dashboard hosts a LED display, 2 USB ports, RMO switch, parking brake, cruise control, automatic mower shut off and throttle lever.



ADJUSTABLE SEAT
The premium high-back seat can easily be adjusted with a lever to provide plenty of legroom.



USB CHARGER PORT
The dashboard houses both a USB-A and USB-C charger port each delivering 2,4 A maximum.

QUICK SPECIFICATIONS

DUKE™ SYC102

Power	
Engine Model	Briggs & Stratton 8240 PXi V-Twin
Cylinders	2
Transmission	
Type	Tuff-Torq® K46 Hydrostatic
Mower	
Cutting Width	102 cm
Mower Deck Type	Stamped Steel
Seat	Premium high-back seat
Collection Bag	320 litres

DUKE™ SYC122

Engine Model	Briggs & Stratton 8270 PXi V-Twin
Cylinders	2
Type	Tuff-Torq® K62 Hydrostatic
Cutting Width	122 cm
Mower Deck Type	Stamped Steel
Seat	Premium high-back seat
Collection Bag	380 litres

KEY FEATURES

- Frame hung mower deck with 4 anti-scalp wheels
- Hydrostatic transmission
- Large collection bag
- Cast iron front axle
- Cruise control
- Large 20" tyres
- Electric blade engagement
- 12 litre fuel tank
- Front wheel ball bearing
- Premium, high-back seat
- LED headlights with daylight mode
- Integrated steel bumper
- Differential lock (SYC122)
- Deck protection rails



BRIGGS & STRATTON® ENGINE

The Briggs & Stratton 8270 PXi engine features an oil filter and pressure lubrication.



SYC122

COURIER™

ZERO TURN MOWERS

COMPACT & EASY TO NAVIGATE.



The SZT105 brings a whole new level of performance to the comprehensive Courier™ zero turn range. Designed for maximum garden access, this compact zero turn mower gets to places other zero turns cannot go. Its compact size makes it easy to navigate even the tightest parts of your lawn and takes up less space when in storage.

CENTRECUT™
CONVERTIBLE MOWING TECHNOLOGY

Our convertible CentreCut™ mowing technology offers total flexibility without stress of choice when buying your next mower.

With the side discharge kit fitted you will have the highest mowing capacity possible. The rear discharge kit comes with a half height mulching baffle and Eliminator® blades and provides a perfect balance between mowing capacity and mulching performance. If you require the best mulching performance, you can mount the optional mulching kit.



USER COMFORT GUARANTEED
A compact zero turn with high levels of comfort. A big seat with armrests and plenty of legroom.



FOOT-ASSISTED MOWER DECK LIFT
Adjust the cutting height conveniently in 7 steps, ranging from 38 to 110 mm.



COMPACT DESIGN
With 98 cm total width, the SZT105 is the smallest in the range delivering unparalleled garden access.



CENTRECUT™ MOWER DECK
The fabricated mower deck with reinforced top, side skirts, corners and a steel front edge ensures durability and a quality cut for years to come.



QUICK SPECIFICATIONS

COURIER™ SZT105

Power

Engine Model	Briggs & Stratton 7220 EXi V-Twin
Cylinders	2

Transmission

Type	Hydro-Gear® EZT®
------	------------------

Mower

Cutting Width	91 cm
Mower Deck Type	Fabricated Steel



BRIGGS & STRATTON® ENGINE

The Briggs & Stratton EXi engine provides consistent starting and guarantees durable performance.

KEY FEATURES

- Fabricated steel CentreCut™ mower deck
- Hydrostatic transmission
- Powerful Briggs & Stratton engine
- 11 litre fuel tank
- Foot operated mower deck lift
- Comfortable mid-back seat with armrests
- Twin-lever steering controls with tracking adjustment for comfortable operation
- Cargo bed optional
- Electric blade engagement
- Integrated parking brake



For accessories see page 27.

COURIER™

ZERO TURN MOWERS

THE ZERO TURN
THAT DOES
SO MUCH
MORE!



SZT275

Our convertible CentreCut™ mowing technology offers total flexibility without stress of choice when buying your next zero turn mower.

The Courier™ SZT175 and SZT275 zero turns will be delivered by your dealer with either a side or rear discharge configuration kit already fitted. Should you need a different cutting configuration in the future, then you will only need a new kit instead of buying a whole new mower deck or even a new zero turn.



WITH SUSPENSION



CARGO BED

On-the-go versatility and convenience for working in the garden. Optional on the SZT175, included on SZT275.



FRONT AND REAR SUSPENSION

Having both front and rear suspension ensures a very comfortable ride and increased mowing speed.

CENTRECUT™

CONVERTIBLE MOWING TECHNOLOGY



With side discharge kit fitted



With rear discharge kit fitted

CENTRECUT™ MOWER DECK

The CentreCut™ equipped zero turns come in a pre-configured side or rear discharge version. With an optional kit you can easily convert to a different mowing configuration if needed.

With the side discharge kit fitted you will have the highest mowing capacity possible. The rear discharge kit comes with a half height mulching baffle and Eliminator® blades and provides a perfect balance between mowing capacity and mulching performance. If you mount the optional mulching kit, you will have the best mulching performance.

QUICK SPECIFICATIONS

COURIER™ SZT175		COURIER™ SZT275	
Power			
Engine Model	Briggs & Stratton 7220 EXi V-Twin	Briggs & Stratton 8240 PXi V-Twin	
Cylinders	2	2	
Transmission			
Type	Hydro-Gear® EZT®	Hydro-Gear® EZT®	
Mower			
Cutting Width	107 cm	122 cm	
Mower Deck Type	CentreCut™ Fabricated Steel	CentreCut™ Fabricated Steel	
Suspension	Front	Front and Rear	
Seat	Mid-back seat	Premium, mid-back seat	

KEY FEATURES

- Front suspension (SZT175)
- Front and rear suspension (SZT275)
- 107 or 122 cm fabricated steel CentreCut™ mower deck with anti-scalp wheels
- Available in side or rear discharge configuration
- Briggs & Stratton engines with 11 litres fuel tanks
- Foot operated mower deck lift
- Mid-back seat with armrests (SZT175)
- Premium mid-back seat with armrests (SZT275)
- Twin-lever steering controls with tracking adjustment
- Cargo bed included
- Electric blade engagement
- Integrated parking brake
- Large 20" rear tyres (SZT275)



BRIGGS & STRATTON® ENGINE
The Briggs & Stratton PXi engine features an oil filter and pressure lubrication.



SZT275

For accessories see page 27.

COURIER™

ZERO TURN MOWERS

PROFESSIONAL INSPIRATION
FOR PREMIUM PERFORMANCE.



More than just a zero turn mower with a great quality cut, the integrated cargo bed along with other great features makes the Courier™ SZT350 a versatile workhorse in a category of its own.

WITH FRONT AND REAR SUSPENSION



CARGO BED

On-the-go versatility and convenience for working in the garden.



FRONT AND REAR SUSPENSION

Having both front and rear suspension ensures a very comfortable ride and increased mowing speed.



FABRICATED MOWER DECK

The 132 cm rugged fabricated mower deck with reinforced top, side skirts, corners and a steel front edge ensures durability and a quality cut for years to come.



PROFESSIONAL TRANSMISSION

Hydro-Gear® ZT-2800® Transaxles providing tough and smooth operation.



QUICK SPECIFICATIONS

COURIER™ SZT350

Power

Engine Model	Briggs & Stratton 8270 PXi V-Twin
Cylinders	2

Transmission

Type	Hydro-Gear® ZT-2800®
------	----------------------

Mower

Cutting Width	132 cm
Mower Deck Type	Fabricated Steel
Suspension	Front and Rear
Seat	Premium, mid-back seat



BRIGGS & STRATTON® ENGINE
The Briggs & Stratton 8270 PXi engine features an oil filter and pressure lubrication.



KEY FEATURES

- Fabricated steel mower deck
- Front and rear suspension
- Centered rear rollers
- Hydrostatic transmission
- Powerful Briggs & Stratton engine
- 11 litre fuel tank
- Foot operated mower deck lift
- Premium mid-back seat with armrests
- Twin-lever steering controls with tracking adjustment for comfortable operation
- Cargo bed included
- Electric blade engagement
- Integrated parking brake
- Large 20" rear tyres

SPECIFICATIONS TRACTORS

TRACTOR	REGENT™ SLT110	REGENT™ SLT175	REGENT™ SLT210SE	REGENT™ SLT275
Power				
Engine	Briggs & Stratton 7220 EXi V-Twin	Briggs & Stratton 7220 EXi V-Twin	Briggs & Stratton 7220 EXi V-Twin	Briggs & Stratton 8240 PXi V-Twin
Cylinders	2	2	2	2
Starting	Electric, Key Start	Electric, Key Start	Electric, Key Start	Electric, Key Start
Fuel Capacity (litre)	15	15	15	15
Transmission				
Brand	Tuff-Torq® K46	Tuff-Torq® K46	Tuff-Torq® K46	Tuff-Torq® K46
Type	Hydro	Hydro	Hydro	Hydro
Speed Fwd. (km/h)	0 - 7,4	0 - 6,9	0 - 6,9	0 - 8,0
Speed Rev. (km/h)	0 - 5,0	0 - 4,4	0 - 4,4	0 - 5,3
Traction Control	-	-	-	-
Chassis				
Front Axle	Cast Iron	Cast Iron	Cast Iron	Cast Iron
Front Tyres (inch)	15 x 6	15 x 6	15 x 6	15 x 6
Rear Tyres (inch)	20 x 8	22 x 10	22 x 10	22 x 9,5
Power Steering	-	-	-	-
Seat	Mid-Back, Adjustable	Premium Mid-Back, Adjustable	Premium Mid-Back, Adjustable	Premium Mid-Back, Adjustable
Suspension	-	-	-	-
Mower				
Cutting Width	42" (107 cm)	42" (107 cm)	46" (117 cm)	48" (122 cm)
Deck Configuration	Side Discharge	CentreCut™	Side Discharge	CentreCut™
Deck Construction	Stamped Steel	Fabricated Steel	Stamped Steel	Fabricated Steel
Anti-scalp Wheels/Rear Rollers	4	4	4	4
Blades	2	2	3	3
Cutting Height (mm)	43 - 86	38 - 89	32 - 95	38 - 89
Cutting Height Positions	7 / Manual	7 / Manual	7 / Manual	7 / Manual
Collector Capacity (l)	-	-	-	-
Washout Port	-	Yes	Yes	Yes
Dimensions				
Length (cm)	185	185	185	185
Width SD (deflector up/down)	127 / 134	112 / 139	131 / 149	125 / 151
Width RD	-	112	-	125
Height	111	117	117	117
Weight (kg)	213	232	224	247
Features				
Headlights	LED	LED	LED	LED
Cruise Control	Yes	Yes	Yes	Yes
Hour Meter	-	Yes	Yes	Yes
Maintenance Monitor	-	-	-	Yes
USB Socket	-	-	-	-
Fuel Gauge	Sight gauge in seat deck			
Mulch Kit/Plug	Optional	Optional	Optional	Optional
Warranty*	3-Year Limited	3-Year Limited	3-Year Limited	3-Year Limited

* Applies to residential use only. See operator's manual for complete warranty details.



BROADMOOR™ SYT410	BARON™ SLC92	BARON™ SLC102	DUKE™ SYC102	DUKE™ SYC122
Briggs & Stratton 8270 PXi V-Twin 2 Electric, Key Start 16	Briggs & Stratton 7160 EXi V-Twin 2 Electric, Key Start 8	Briggs & Stratton 7220 PXi V-Twin 2 Electric, Key Start 8	Briggs & Stratton 8240 PXi V-Twin 2 Electric, Key Start 12	Briggs & Stratton 8270 PXi V-Twin 2 Electric, Key Start 12
Tuff-Torq® K62 High Speed Hydro with ACT™ 0 - 9,4 0 - 5,9 ACT™	Tuff-Torq® K46 Hydro 0 - 8,0 0 - 5,0 -	Tuff-Torq® K46 Hydro 0 - 8,0 0 - 5,0 -	Tuff-Torq® K46 Hydro 0 - 8,0 0 - 5,0 -	Tuff-Torq® K62 Hydro 0 - 8,0 0 - 5,0 Differential Lock
Cast Iron 16 x 6,5 22 x 10 Electric High-Back Mesh, Adjustable Rear	Cast Iron 15 x 6 18 x 8,5 - Premium Mid-Back, Adjustable -	Cast Iron 15 x 6 18 x 8,5 - Premium Mid-Back, Adjustable -	Cast Iron 15 x 6,5 20 x 10 - Premium High-Back, Adjustable -	Cast Iron 15 x 6,5 20 x 10 - Premium High-Back, Adjustable -
48" (122 cm) Side Discharge, Free Floating™ Fabricated Steel Full-Width Striping Roller 3 32 - 102 Infinite / Electric - Yes	36" (92 cm) Rear Collection Stamped Steel - 2 30 - 90 6 / Manual 300 Yes	40" (102 cm) Rear Collection Stamped Steel 4 2 30 - 90 6 / Manual 300 Yes	40" (102 cm) Rear Collection Stamped Steel 4 2 25 - 95 7 / Manual 320 Yes	48" (122 cm) Rear Collection Stamped Steel 4 2 25 - 95 7 / Manual 380 Yes
196 123 / 149 - 125 338	243 - 95 114 226	243 - 106 117 255	243 - 108 132 271	243 - 126 132 295
LED Yes Yes Yes - Electronic in dash Optional 3-Year Limited	LED - Yes - - - Optional 2-Year Limited	LED - Yes - - - Optional 2-Year Limited	LED Yes Yes - 1x USB-C, 1x USB-A Sight gauge in seat deck Included 2-Year Limited	LED Yes Yes - 1x USB-C, 1x USB-A Sight gauge in seat deck Included 2-Year Limited

ACCESSORIES TRACTORS

DESCRIPTION	PART#	REGENT™ SLT110	REGENT™ SLT175	REGENT™ SLT210SE
MODEL NUMBER (TRACTOR)		2692020	2691926	2691683
MODEL NUMBER (MOWER DECK)		1696797	1697442	1696798
Armrest Kit	1687810YP	•	•	•
Height-of-Cut Limiter	84011449			
Mulch Plug				
Rear Deflector Chute	1697608			
Sweeping Brush 120 cm	1697555			
Requires: Multi Front Carrier				
Requires: Drive Kit				
Requires: Drive Belt				
Snow Blade 120 cm	1697547			
Requires: Standard Front Carrier				
Snow Blade 120 cm	1697553			
Requires: Multi Front Carrier				
Snow Thrower 100 cm	1697554			
Requires: Multi Front Carrier				
Requires: Drive Kit				
Requires: Drive Belt				
Requires: Chute Control Kit				
Snow Chains (Pair for 18" tyres)	1697611			
Snow Chains (Pair for 20" tyres)	1697562			
Mulch Kit for Side Discharge Deck		1696374YP	1697447	1696910
Mulch Kit for Rear Discharge Deck (High Rear Baffle)			84007258	
Twin Bag Collector	1697358A	•	•	
Requires: Deck Boot Adapter		1697367A	1697373A	
Triple Bag Collector				1697359A
Requires: Deck Boot Adapter				1697375A
Optional: Turbo Fan				1697366A
Deck Boot Adapter		1697367A	1697367A	1697375A
Weight, 15kg	1691319SM	•	•	•
Requires: Weight Carrier, Rear	1694922SM	•	•	•
Wheel Weights (requires 2 pcs)	1690555SM	•	•	•
Wheel Weights, 14 kg (requires 2 pcs)	1696352YP			
Weight Carrier, Front	1694155SM			
Requires: Weight, 15kg	1691319SM			
Weight Carrier, Rear	1696323YP			
Requires: Weight, 15kg	1691319SM			
Snow Chains, 22" x 10" Tyres	1695092SM		•	•
Striping Roller Kit*			1697537	
Configuration Kit Side Discharge			1697446	
Configuration Kit Rear Discharge			1697447	

* Compatible with 2022 and newer CentreCut™ mower decks.



REGENT™ SLT275	BROADMOOR™ SYT410	BARON™ SLC92	BARON™ SLC102	DUKE™ SYC102	DUKE™ SYC122
2691927	2692022	2692050	2692051	2692052	2692053
1697443	-	-	-	-	-
•		•	•	•	•
				•	•
		1697609	1697606		
		•	•	•	•
				•	•
				1697556	1697556
				1697559	1697559
				80123073	80123073
		•	•	•	•
		1697607	1697607	1697557	1697557
				•	•
				1697556	1697556
				•	•
				1697556	1697556
				1697559	1697559
				80123073	80123073
				80123075	80123075
		•	•		
				•	•
1697449	1696909				
84007244					
1697359A	1697363A/1697364A				
1697376A	1697376A				
1696750A	1696750A				
1697376A	1697376A				
•					
•					
•					
	•				
	•				
	•				
	•				
	•				
•	•				
1697537					
1697448					
1697449					

SPECIFICATIONS & ACCESSORIES ZERO TURNS

ZERO TURN

COURIER™ SZT105

COURIER™ SZT175

COURIER™ SZT275

COURIER™ SZT350

Power

Engine	Briggs & Stratton 7220 EXi V-Twin	Briggs & Stratton 7220 EXi V-Twin	Briggs & Stratton 8240 PXi V-Twin	Briggs & Stratton 8270 PXi V-Twin
Cylinders	2	2	2	2
Starting	Electric, Key Start	Electric, Key Start	Electric, Key Start	Electric, Key Start
Fuel Capacity (litre)	11	11	11	11

Transmission

Brand	Hydro-Gear® EZT®	Hydro-Gear® EZT®	Hydro-Gear® EZT®	Hydro-Gear® ZF2800®
Speed Fwd. (km/h)	0 - 8,0	0 - 9,0	0 - 11,0	0 - 12,0
Speed Rev. (km/h)	0 - 4,0	0 - 4,0	0 - 4,0	0 - 4,0

Chassis

Frame	Steel	Steel	Steel	Steel
Front Axle	Steel Fixed	Steel Pivoting	Steel Pivoting	Steel Pivoting
Tyres Front/Rear (inch)	11 x 4 / 18 x 6,5	11 x 6 / 18 x 8,5	11 x 6 / 20 x 10	11 x 6 / 20 x 10
Seat	Mid-Back, Adjustable with Armrests	Mid-Back, Adjustable with Armrests	Premium Mid-Back, Adjustable with Armrests	Premium Mid-Back, Adjustable with Armrests
Suspension	-	Front	Front and Rear	Front and Rear

Mower

Cutting Width	36" (91cm)	42" (107 cm)	48" (122 cm)	52" (132 cm)
Deck Configuration	CentreCut™	CentreCut™	CentreCut™	Side Discharge
Deck Construction	Fabricated Steel	Fabricated Steel	Fabricated Steel	Fabricated Steel
Deck / Attachment Lift	Mechanical	Mechanical	Mechanical	Mechanical
Blade Engagement	Electric	Electric	Electric	Electric
Anti-scalp Wheels	-	2	2	2
Rear Rollers	Optional Striping	Optional Striping	Optional Striping	Centered rear roller
Blades	2	2	3	3
Cutting Height (mm)	38 - 110	38 - 110	38 - 110	38 - 110
Cutting Height Positions	7 / Manual	13 / Manual	13 / Manual	13 / Manual
Washout Port	Standard	Standard	Standard	Standard

Dimensions

Length (cm)	178	187	187	187
Width SD (deflector up/down (cm)	98 / 136	112 / 139	125 / 151	136 / 167
Width RD (cm)	98	112	125	-
Height (cm)	107	101	105	105
Weight (kg)	226	263	307	330

Features

Cargo Bed*	Optional	Optional	Included	Included
Hour meter	Yes	Yes	Yes	Yes
Fuel Gauge	-	Yes, in tank	Yes, in tank	Yes, in tank
Mulch Kit/Plug	Optional	Optional	Optional	Optional
Warranty**	3-Year Limited	3-Year Limited	3-Year Limited	3-Year Limited

* 22,7 kg. capacity, do not overload; do not carry passengers. See operator's manual for details.

** Applies to residential use only. See operator's manual for complete warranty details.



DESCRIPTION	PART#	COURIER™ SZT105	COURIER™ SZT175	COURIER™ SZT275	COURIER™ SZT350
MODEL NUMBER		2692021	2691923	2691922	2691696
Mulch Kit for Side Discharge Deck		1697524	1697447	1697449	1696908
Mulch Kit for Rear Discharge Deck (High Rear Baffle)		84008240	84007258	84007244	
Twin Bag Collector	1697408A	•	•	•	•
Requires: Deck Boot Adapter		1697101	1697373A	1697376A	
Requires: Deck Boot Adapter + Turbo Fan					1696768A
Cargo Bed	1697133	•	•		
Service Jack	5601305	•	•	•	•
Service Jack Mount	5601306	•	•	•	•
Striping Roller Kit*		1697535	1697536	1697536	
Configuration Kit Side Discharge		1697523	1697446	1697448	
Configuration Kit Rear Discharge		1697524	1697447	1697449	

SERVICE JACK

For easy maintenance access to the underside of the mowing deck.




STRIPING ROLLER KIT*

A well-manicured lawn deserves perfect stripes.

* Compatible with 2022 and newer CentreCut™ mower decks.

ACCESSORIES



Not all accessories shown in this catalogue may be available in your country.
Please contact your dealer for further details.



Double bag collector



Triple bag collector



Mulch kit



Cargo Bed



Wheel weights



Weight carriers front / rear



Tyre chains



Sweeping brush 120 cm (SYC)



Snow blade 120 cm (SLC & SYC)



Snow thrower 100 cm (SYC)

SZT275






Simplicity
CENTURY OF STRIPES • 1922-2022®



www.simplicitymfg.eu



YOUR SIMPLICITY® DEALER:



BRIGGS & STRATTON NETHERLANDS BV SCHEPERSWEG 4C 6049 CV HERTEN THE NETHERLANDS tel: +31 (0)475 408 383

© 2024 ALL RIGHTS RESERVED.
BRIGGS & STRATTON HAS A POLICY OF CONTINUOUS PRODUCT IMPROVEMENT AND RESERVES THE RIGHT TO MODIFY ITS SPECIFICATIONS AT ANY TIME AND WITHOUT PRIOR NOTICE.
PRODUCTS MAY VARY FROM IMAGES SHOWN. 01/2024EUN